

සමස්තයෙන්ම මෙම විකිණීමේදී Wicks විකිණීමේ මිලදුම් ගන්නා ප්‍රමාණය

Sunny Group මගින් මෙම විකිණීමේ මිලදුම් ගන්නා ප්‍රමාණය 28 ට 30 දක්වා වැඩි වීමට හේතු වන්නේ මෙම

විකිණීමේ 10 වැනි වර්ෂයේදී විකිණීමේ මිලදුම් ගන්නා ප්‍රමාණය 80% ක් වැඩි වීමට හේතු වන්නේ මෙම

We මෙම විකිණීමේ මිලදුම් ගන්නා ප්‍රමාණය 80% ක් වැඩි වීමට හේතු වන්නේ මෙම



P













ASTM D1505-18 Standard Test Method for Tensile Properties of Rigid Polyethylene (PE) by Bar

ASTM D1505-18 Standard Test Method for Tensile Properties of Rigid Polyethylene (PE) by Bar

ASTM D1505-18 Standard Test Method for Tensile Properties of Rigid Polyethylene (PE) by Bar. This standard covers the tensile properties of rigid polyethylene (PE) bars. The test method involves a tensile test where a specimen is pulled apart to determine its tensile strength, elongation, and other mechanical properties.

ASTM D1505-18 Standard Test Method for Tensile Properties of Rigid Polyethylene (PE) by Bar. This standard covers the tensile properties of rigid polyethylene (PE) bars. The test method involves a tensile test where a specimen is pulled apart to determine its tensile strength, elongation, and other mechanical properties.



REMINDER MOQ IS REQUIRED

Contact us for more details

請洽 8 號銷售部 查詢詳情 或 直接 寄信 至 8 號銷售部 查詢詳情 或 直接 寄信 至 8 號銷售部 查詢詳情,
sales8@sunnyglassware.com 謝謝 合作