

XXXXXXXXXXXXXXXXXXXX



## Product Details

XXXX	SGSY17061214
XX	Y: XX:110XX XX:48XX XX:180XX Jar: XX:120XX XX:87XX XX:78XX XX:439XX XX:455XX
XX	XX
XX	XXXX/XX/XXXXXXXXXXXX
XX	XXXXXXXXXXXXXXXXXXXX
XX	1. 24/36/48/72X/XXXXXXXXXX 2. XX/XX/XXXXXXXX 3. XXXXXXXX 4. XXXX 5. XX/XXXX 6. XXXXX
XXXXXX	1. XXXXXXXX XX XXXXXXXXXXXXXXXX XX, X XXXXX, XXXXX, XXXXXXX, XXXXXXX, XXX, XXXXXXX XX 2. XXXXXXXXXXXXXXXXXXXXXXXXKTVXXXX 3. XXXXXXXXXXXXXXXXXXXXXXXX 4. XXX:XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX 5. XXXXXXXXXXXXXXXXXXXXXXXX

<p>□□□□□</p>	<ul style="list-style-type: none"> <li>* 24□□□□□</li> <li>*□□□□□□□□</li> <li>*□□□□□□□</li> <li>*□□□□□□</li> <li>*□□□□□□□□□□□□</li> <li>*□□□□□QC□□□□□□□□□□□□</li> <li>AQL□□</li> <li>*□□□□□□□□□□15□□□□</li> <li>*□□□□□□□□□□□□</li> </ul>
<p>MOQ</p>	<p>3000</p>















000000001992000000000000000000/00/0000000000  
0000000000000240000000000000000000000000  
0000000000000AQL0000000

0000000:

- 0:000000000000000000000000
- 0:00:00000/00/0000000
- 0:00:00000000000000000000
- 0:00:000000000/00/0000000000
- 0:000:0000150000



QC:10

7

ASTM, 100%

Facotry:



:





