

000000

Product Details	
00000	SGSN16121617
00	000
00	0000
0000	1.0000000000000000500 2. 10.000000000000000000
0000	1.00 00000000 00000000000 2.00000000
00	1.0000000000ASTM000 2.000000000000000000000000

00

00000000000000000000

00000000

- 1.000000000035000 000000007000
- 2.00000 000000000000000000000000

0000

- 1.00300T / T0000000B / L00000
- 2.000000000000000000000000/0000000000

特点

- 1. 重量轻。
- 2. 耐腐蚀性能优异，能耐各种酸、碱、盐、有机溶剂、E 级
- 3. 耐腐蚀性能优异，能耐各种酸、碱、盐、有机溶剂、E 级

性能


- 1. 耐腐蚀性能优异，能耐各种酸、碱、盐、有机溶剂、E 级
- 2. 耐腐蚀性能优异，能耐各种酸、碱、盐、有机溶剂、E 级
- 3. 耐腐蚀性能优异，能耐各种酸、碱、盐、有机溶剂、E 级
- 4. 耐腐蚀性能优异，能耐各种酸、碱、盐、有机溶剂、E 级
- 5. 耐腐蚀性能优异，能耐各种酸、碱、盐、有机溶剂、E 级












[Similar Products Link](#)



Office & Sample Room

1992 20
 4,000
 OEM / ODM

