250ml[illegible]

Product Details

[illegible]	**250ml[illegible]**
[illegible]	SGHY19052816
[illegible]	[illegible]74[illegible]6mm [illegible]56mm [illegible]89.6mm [illegible]276g [illegible]251ml [illegible]5[illegible]7[illegible] [illegible]5[illegible]/ 8[illegible]/ 10[illegible]/ 16[illegible]
[illegible]	10[illegible]14[illegible]16[illegible]
[illegible]	[illegible]1[illegible]5[illegible] [illegible]2[illegible]15[illegible]
[illegible]	24[illegible]/ 36[illegible]/ 48[illegible]
MOQ	5000[illegible]
[illegible]	[illegible]35[illegible]
[illegible]	[illegible]T / T[illegible]30[illegible]B / L[illegible]
[illegible]	1.[illegible] 2. FDA[illegible]SGS[illegible]LFGB[illegible] 3.[illegible] 4.[illegible] 5.mercurryvotive[illegible]

More Product Pictures

Office & Sample Room

深圳市宏铭达钣金有限公司
深圳市美阳玻璃制品有限公司
SUNNY GROUP





Factory Show

01 Factory

Surface Treatment

10+ production lines

☐ Spraying

☐ Engraving

☐ Electroplating

☐ Silk-screen

- ☐ Spraying
- ☐ Engraving
- ☐ Electroplating
- ☐ Silk-Screen

[illegible]

1.[illegible]

2.[illegible]

3.[illegible]

[illegible]

1.[illegible]

2.[illegible]

3.[illegible]

[illegible]

1.[illegible]

2.[illegible]

3.[illegible]

4.[illegible]

5.[illegible]

[illegible] [illegible] [illegible]

[illegible] http://www.candleholdermanufacturer.com/index.html

[illegible] [illegible]

[illegible].