

XX

XXXX

XXX	<a href="#">XX</a>
XXXXXX	SGSN17041028
XXX	XXX89mm XXX83mm XXX101mm XXX272g XXX415ml
OEM	XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXX	XXXXXXXXXXXXXXXXXXXX
XXXXXX	1.XXXXXXXXXXXXXXXXXX5XXXXXX 2.2XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX15
XX	XXXXXXXXXXXXXXXXXXXX24 / 36 / XXXXXXXXX48XXXXXXXXXXXXXXXXXXXX
Moq	3,000
XX	XXXXXX35XXXX
XXXXXX	XXXT / T30XXXXXXXXXXXXB / LXXXXXXXXXXXXXXXXXXXX
XXXXXX	1.XXXXXXXXXXXXXXXXXX 2.FDA SGS LFGBXXXXXXXXXXXXXXXXXXXX 3.XXXXXXXXXX 4.4XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX 5.XXX

XXXXXXXXXX













□□□□



www.candleholdermanufacturer.com

<http://www.candleholdermanufacturer.com/>

www.candleholdermanufacturer.com

www.candleholdermanufacturer.com.