

□□□□□□□□□□□□□□□□□□

**Sunny Glassware**□□**OEM / ODM**□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□

  
Product Details

[□□□□□□□□□□](#)

1□□□□□□□□□□□□□□□□

2□□□□□□□□

3□□□□□□□□□□



# SunnyCandle



□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□80□

□ AQL□□□□6□□□□□□□□□□QC□□□□□

□□□□□□□□□□□□□□□□

□□

□□□□□□□□□□

□ MadeinChina□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□



□□  
□□□□103 mm  
□ □□□**103**□□□□□□  
□ □□□ 103 mm  
□ □□□ 535ml  
□ □□□ 635□□□  
□□□□  
□□□□□□□□103 mm  
□□□□47 mm  
□□□□160g

□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□  
□□□  
□

□□□□□□


□□□□□□□□□□

□□□□□□□□□□□□

□□□□□□□□□

□□□□□□□□

Range of the application



# Office & Sample Room

□□□□□□□1,800□□□□□□□□□□□□□□□□□□□□





ASTM



ISO9001-2015







# Surface Treatment

10+ production lines



Spraying



Engraving



Electroplating



Silk-screen

Spraying

Engraving

Electroplating

Silk-Screen

## Parameters

Technical Specifications

Open Machine Machine-Pressed Craft

MOQ

Minimum Order

Color-Thickness 1.5-10mm

Material 4-30mm

Material Thickness

## Services

1. Design and Prototyping

2. Production and Assembly

3. Quality Control and Testing

## Options

1. Surface Treatment Options

2. Material Selection

3. Color Customization

4. Thickness Control

5. Packaging Solutions

Contact Us

Website: [Http://www.okcandle.com/](http://www.okcandle.com/)

Contact Us