



<p>□□ □ □□</p>	<p>Top Dia : 115 mm.          □□ □□ : 85 mm          □□ : 65 mm.          □□ : 322 g.          □□ : 440 ml</p>
<p>□□ □□</p>	<p>□□ □□□ □□ □□ □.</p>
<p>□□□ □□</p>	<p>□□□ □□□ □□□ □□□□ □□ 1.5 □          □□□ □□□ □□□ □□□ □□ □□ 2.15 □</p>
<p>□□□</p>	<p>□□ □□ □□ 24 □ / 36 □□ / 48 □□ □□ □□□□□□ □□ □□□ □□ □□</p>
<p>MOQ</p>	<p>3000pcs.</p>
<p>□□ □□</p>	<p>55 □ □□□ □□ □□</p>
<p>□□ □□</p>	<p>□□□ T / T□ □□ 30 % □□□, B / L □□□ □□□□ □□</p>
<p>□□ □□</p>	<ol style="list-style-type: none"> <li>1. □□ □□□ □□□□□ □□</li> <li>2. ASTM □□</li> <li>3. □□</li> <li>4. □□□ □□□, □□□, □, □ □ □□ □□□□□.</li> <li>5. □□ □□□□□ □□□ □□□□</li> </ol>















