



*Sunny
Glass* 

EST. 1996

SCENTED CANDLE

*Sunny
Glass* 

EST • 1996

SCENTED CANDLE

Luxury Glass

EST. 1998

SCENTED CANDLE





Sunny Glass

EST. 1996
SCENTED CANDLE

Sunny Glass

EST. 1996
SCENTED CANDLE

Sunny Glass

EST. 1996
SCENTED CANDLE

Sunny Glass

EST. 1996
SCENTED CANDLE

Sunny Glass

EST. 1996
SCENTED CANDLE

Sunny Glass

EST. 1996
SCENTED CANDLE





Red
S16030-127 12.5×12.5×12.0cm
S16030-102 10.0×10.0×10.0cm



Black



Deep Blue



S16017-130 13.5×13.5×13.0cm

A

B


C

D

E

F

□□□□ □□□□ :





Office & Sample Room

Sunny Glassware 1992 年 12 月 1 日 在 加 拿 大 成 立 ， 公 司 主 要 經 營 各 種 玻 璃 瓶 罐 / 罐 頭 瓶 / 罐 頭 瓶 蓋 等 玻 璃 製 品
 已 有 24 年 的 經 驗 和 專 業 技 術 ， EU ， AU 等 國 際 認 證 。 公 司 設 有 專 業 的 質 量 控 制 部 門 ， QC 人 員 嚴 格 把 關 每 一 個 產 品 的 質 量 。
 公 司 承 辦 各 種 玻 璃 瓶 罐 的 生 產 和 銷 售 ， AQL 質 量 控 制 標 準 嚴 格 執 行 。
 公 司 設 有 專 業 的 樣 品 室 和 辦 公 室 。

- > Different shapes and sizes available, also welcome your own design.
- > Accessories: cap, glass/metal/wood lid, wax etc.
- > Decoration: decal, color coating, mercury, laser, frosted, plating etc.
- > Packing: normal safety packing, color/white/gift box packing, customized packing available.
- > Design power: more than 15 innovations monthly.
- > QC team: over 10 professional staffs inspect the production strictly and comprehensively, which meet AQL standard.
- > Sample: within 7 days
- > Certification: ASTM, 100% lead& cadmium free.

公 司 設 有 專 業 的 樣 品 室 和 辦 公 室 。



□□:





000.00:

Sample Room



4,000+ Items for Choice



□□□:



ASTM

Testing Report

Report No. 10000000000000000000

Client: SUNNY

Product: CANDLE

Material: PARAFFIN WAX

Test Method: ASTM D 1505

Test Results:

Property	Value
Hardness	10 N/mm²
Impact	2 J/m²

OK

SGS

Test Report

Report No. 10000000000000000000

Client: SUNNY

Product: CANDLE

Material: PARAFFIN WAX

Test Method: ASTM D 1505

Test Results:

Property	Value
Hardness	10 N/mm²
Impact	2 J/m²

OK

SGS

Test Report

Report No. 10000000000000000000

Client: SUNNY

Product: CANDLE

Material: PARAFFIN WAX

Test Method: ASTM D 1505

Test Results:

Property	Value
Hardness	10 N/mm²
Impact	2 J/m²

OK

□□□.□□□□□□:

□□ □□□□.□□□□□□ □□ □□ □□,

□□ □ □□□□ □□□□□□ : <http://www.okcandle.com/>

□□ □□□ □□ □ □□ □□ □ □□□ □□ □ □ □□□□. [□□□□-□□](#)