

000 0 0000 00 00

Product Details	
00 00.	SGSN16121617
00	000
00	000 00
00 00	1. 00000 00 00000 00 5 0. 2. 000 000 00 000 000 00 10 0.
00 00	1. 00 0000 0.00000.00.00 00, 000, 00 0 2. 000 00 00
00	1. 00, 000, ASTM 00000 000000. 2. 000 00 000, 00, 00, 00 00 0 00 00 00 00.

00

00 000 00000 000 00 000 00 00000 00000 00000.

00 00 0 00

- 00 00 00 : 00 0 00 00 35 0 00; 000000 00 7 0 00.
- 00 00 : 00, 00, 00000 0 00 00000 00 00000 000000.

00 00

- 00 T / T 000 30 % 00, B / L 000 00000 00 00.
- L / C, 0000, T / T 0 000 000 00.000 00 00 00 00 00.

000 000

1. 000 0000 00.
2. 0000 : 00 00, 0 00, 00 0000, 000 00, 00 00, 00, E 00 0
3. 00 00, co 000 00 lor 00 00, 00 00 00 0

000 00


1. 0 00 0000 0000 00 20 00 00.
2. 00 : ASTM, ISO9001 : 2008
3. 00 00 : 000 QC 00000 00 99 % 0000 000 0 0000.
4. 00 00 00 : 00 15 000 00000 10 00 00 00; 35 0 00 00 00.
5. 000 0 : 5000 000 0 00 0000 00 300 000 000;











[Similar Products Link](#)



00-00-00-00-00 0000 00 00 00000 20 0 0000 00 0000 0000 0000 00 00 00, 00 00 00 0 0000 0000000000. 0000 00 0000 00000 00 0000 000000 00 0000. 0000 00 0000 00 0000 0000 00000000. 00 0000, 0000 00, 00 0, 00, 00, 00, 00 0, 0000, **tabkeware**, 0000 00 0. 00 00000 00 00 00000 0 4,000 00 0000 00000 0000. 0000 00000 00 000000 0000 0000 00 00 000000 0000 QC 0000 00000 00000. OEM / ODM 0000 000000.

