

Esmalte cerâmico de cor branca

Product Details

Item Nº.	Item nº:SGTX17060909B Dia superior: 83 * 86mm Dia inferior: 93 * 97mm Altura: 85mm Peso: 342g Capacidade: 395ml Material: Cerâmica MOQ: 5000 Tempo amostral: 7 dias
Material	Cerâmica /tinta cerâmica envidraçada por atacado
Docoração e acessos	*decalque, revestimento de cores, mercúrio, laser, fosco, revestimento, vidrado etc. *tampa, tampa cerâmica/metal/madeira, cera, pavio, tesoura etc
Embalagem	1. 24/36/48/72 pcs por caixa de embalagem de exportação padrão 2. Embalagem da caixa de cor/branco/marrom 3. Embalagem de caixa de presente de luxo 4. Encolhimento embalando 5. Embalagem individual/set box 6. Embalagem personalizada
Mais sobre cerâmica	Diferentes materiais de cerâmica têm tolerância diferente, normalmente, Tolerância das dimensões cerâmicas: *Espessura e tamanho da parede: erro de 3mm *peso :erro de 20%
Nosso serviço	* Responda dentro de 24 horas * Variedades de produtos para suas seleções * Sistema de produção completo * Trabalhadores qualificados da fábrica * Tanto a linha de máquinas quanto a linha artesanal para o seu serviço * Equipe experiente do QC inspeciona os produtos de forma abrangente e estritamente de acordo com ao padrão AQL * Designer criativo inovar recém-produtos com mais de 15 estilos mensais * Serviço de fornecimento do departamento de Logística Profissional para porta

More Product Pictures





Produtos similares:



SGSY17061201 SGSY17061203



SGSY17061208 SGSY17061212

Office & Sample Room

Sunny Glassware é um dos principais fornecedores de velas na China desde 1992, nossos potes de vidro/cerâmica/vela de concreto etc. e acessórios combinados.

Mais sobre nosso Sunny Glassware:

1. O vidro passou no teste FDA (teste de segurança de produtos de vidro americanos);
2. Departamento de logística independente, equipes rigorosas do QC, pessoas de controle de qualidade, equipe de vendas para resolver todos os problemas durante a produção do produto, seguro e confiável;
3. Ordem rápida e urgente: Capacidade: cerca de 0,5-1 milhão/ mês;
4. Decoração: decoração do pacote, caixa de presente;
5. Força: pintura a laser, impressão decalque, geadas.

Vantagens de Sunny:

1. Principais produtos: xícaras de vidro, pote de chá de vidro, xícara de vinho, porta-velas de vidro, tigela, prato, etc;
2. Processar como impressão dedesca (impressão de logotipo), pulverização de cores, cobertura;
3. Artesanato: feito pelo homem, máquina prensada, máquina soprada, feita à mão;
4. Força: cor spray, pintura a laser, impressão decalque, geadas.
5. Capacidade: cerca de 0,5-1 milhão/ mês;
6. Decoração: Decoração do pacote, caixa de presente;

- 7. pass FDA, lead&cadmium safe;
- 8, 7-14 dias de tempo de chumbo da amostra;
- 9. Dentro de 35 dias de tempo de produção.

Nossa factory:



Produção:



Nosso showroom:



Certificado:



Test Report

No.: GZ0806114365/CHEM

Date: JUL 02 2008

Page 1 of 4

SHANXI SUNNY GLASSWARE FACTORY SHENZHEN OFFICE
RM 204, BAOHU BUILDING, DONGHU ROAD, LUOHU DISTRICT, SHENZHEN, GUANGDONG, CHINA

The following sample(s) was/were submitted and identified on behalf of the applicant as Coffee glass

SGS Ref No. : SZ11126876
Buyer : TEDI
Manufacturer : SHANXI SUNNY GLASSWARE FACTORY
Country of Origin : CHINA
Country of Destination : GERMANY
Sample Receiving Date : JUN 26, 2008
Testing Period : JUN 26, 2008 TO JUL 02 2008

Test Requested : In accordance with German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & DIN 51032:1986.

Test Method : With reference to EN 1388: 1995.
Analysis was performed by Inductively Coupled Argon Plasma Spectrometry.

Conclusion : When tested as specified, the submitted sample(s) do not comply with the limit as stated in the German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30.

Signed for and on behalf of
SGS-CSTC Ltd.

Wang HongLei, Leo
Sr. Engineer



This document is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at http://www.sgs.com/terms_and_conditions.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein represents the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not generate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.
Unless otherwise stated, results shown in this test report refer only to the sample(s) tested. This document cannot be reproduced except in full, without prior approval of the Company.



SGS S.p.A. - Via Cassanese, 4 - 20090 Segrate (MI) - Italy | SGS (Shanghai) Inspection & Certification Co., Ltd. | 33 Kexue Road, Sierbia-Pai Guanghui Eastzone 1 Technology Development District, Guangzhou, China 510663 | (86-20) 82155555 | (86-20) 82075125 | www.cn.sgs.com
SGS (Shanghai) Inspection & Certification Co., Ltd. | 中国·广州·经济技术开发区科学城珠晖路198号 | 邮编: 510663 | (86-20) 82155555 | (86-20) 82075125 | e: sgs.china@sgs.com

Member of the SGS Group (SGS SA)