

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

Product Details	
XXXXXXXXXXXX	SGSN16121617
XXXXXX	XXXXXXXXXX
XXXXXXXXXX	XXXXXXXXXXXX
XXXXXXXXXXXX	1. 5 XXXXXXXXXXXXXXXXXXXXXXXXXXXX 2. 10 XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXXXX	1. XXXXXX XXXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXX 2. XXXXXXXXXXXXXXXXXXXXXXXXXXXX
XXXXXXXXXX	1. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX ASTM 2. XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXX

XX

XX

1. XXXXXXXXXXXXXXXXXXXXXXX: XXXXX 35 XXXXXXXXXXXXXXXXXXXXXXXXXXXX; XXXXX 7 XXXXXXXXXXXXXXXXXXXXXXX
2. XXXXXXXXXXXXXXX: XXX

XXXXXXXXXXXXXXXXXXXXXXXXXXXX

1. XXXXXXX 30% XXX T / T XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX B / L
2. L / C, Escrow, T / T XXX Western Union XXXXXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

Product Features

- 1. High precision and accuracy.
- 2. Material: Steel, Aluminum, Brass, Stainless Steel, Titanium, Inconel, E. ngraving
- 3. Surface finish: Polished, Anodized, Electroplated, Powder Coated, Painted

Product Specifications


- 1. Length: 20 cm
- 2. Material: ASTM, ISO9001: 2008
- 3. Surface finish: Polished, Anodized, Electroplated, Powder Coated, Painted 99%
- 4. Weight: 10 g, 15 g, 35 g
- 5. Quantity: 5,000 pieces, 300 pieces











[Similar Products Link](#)



[Shenzhen Sunny Glassware Co., Ltd](#) 1992 20 4,000 OEM / ODM

