

isilinda engwevu ingqayi yekhandlela

linkcukacha zeMveliso

Igama	isilinda engwevu ingqayi yekhandlela
linkcukacha zento	Inombolo Uмба: SGSJL18032718 Idia ephezulu: 78mm Ezantsi dia: 67mm Ukuphakama: 108mm Ubunzima: 350g Amandla: 340ml isilinda engwevu ingqayi yekhandlela
Izinto eziphathekayo	Ikhonkrithi
Izixhobo	ikepusi, iseramikhi / isinyithi / isiciko somthi, i-wax, umsonto, isheya, njl
Gqiba	uphawu, ukutyabeka umbala, i-mercury, i-laser, iqabaka, ukutyabeka, i-glazed njl
Ukupakisha	1. 24/36/48/72 ii-PC nganye ngokomgangatho wokupakisha wokuthumela kwelinye ilizwe kwelinye ilizwe 2. Ukupakisha ibhokisi enemibala / emhlophe / emdaka 3. Ukupakisha ibhokisi yesipho 4. Ukupakisha okunciphayo 5. Ukupakisha ibhokisi nganye nganye / ebekiweyo 6. ukupakisha ngentando
Amandla ethu	1. Singabachwephesha isiphatho sekhandlela umenzi, ophambili kwiintlobo ezahlukeneyo ze iziphatho zezibane , Ukusukela isiphatho sekhandlela seglasi , yodongwe isiphatho sekhandlela , umnini ikhandlela emarmore , isiphatho sekhandlela , Tin umnini ikhandlela , Ingqayi yekhandlela engenanto njl. 2. Ilungele ikhaya / i-ivenkile / intengiso enkulu / iresty / ihotele / ibha / i-KTV njl. 3. Kunye neqela umyili ngobuchule, leyo enokunceda uyilo kunye nokuvula nokuvunda entsha ngokusekelwe imfuneko sakho. Ukucwangciswa kweposi: umbala, ukutyabeka, i-mercury, iridescent, ukukrola, ukuprinta, uphawu, umbala wokutshiza, iqabaka, igolide, ukuzoba ngesandla njl. 5. MOQ encinci yamkelekile. Sineemveliso eziqhelekileyo zokukuxhasa.

Inkonzo yethu	<ul style="list-style-type: none"> * Phendula wena kwiiyure ezingama-24 * Uluhlu lweemveliso zokhetho lwakho * Inkqubo yemveliso ngokupheleleyo * Abasebenzi abanezakhono kumzi-mveliso * Zombini umgca womatshini kunye nomgca owenziwe ngesandla wenkonzo yakho * Iqela leQC elinamava lihlola iimveliso ngokubanzi nangokungqongqo kumgangatho we-AQL * Uyilo loyilo luyile imveliso entsha ngaphezulu kwezitayile ezili-15 ngenyanga * Ukunikezelwa kwesebe lobuchwephesha kwinkonzo yomnyango
MOQ	3,000



More Product Pictures











Red
S16030-127 12.5×12.5×12.0cm
S16030-102 10.0×10.0×10.0cm



Black



Deep Blue



S16017-130 13.5×13.5×13.0cm
A



B



C



D



E



F



CS10024A-1 14x14x26cm
 CS10024B-1 11x11x20cm




CS10025A-4 20.5x20.5x19.5cm
 CS10025B-4 17.5x17.5x16.5cm
 CS10025C-4 14.5x14.5x14cm
 CS10025D-4 11.5x11.5x10.5cm
 CS10025E-4 8x8x7cm



CS10026A-2 20x20x12.5cm
 CS10026B-2 17x17x10cm
 CS10026C-2 14x14x9cm



Izixhobo ezihambelanayo:





Office & Sample Room

I-Sunny Glassware ngumnini wekhandlela okhokela abanini eTshayina ukusukela nge1992, iglasi / iiceramic / ikhonkrithi ingqayi yethu yezimbiza njlnjl.

ikakhulu kumazwe angaphandle e-USA, EU, AU ngaphezu kweminyaka engama-24 yamava. Sisebenza ngokungqongqo nomgangatho, iqela lethu leQC lihlola iimveliso

ukusuka kwinto eluhlaza ukuya kwimveliso ukuya ekupakisheni inyathelo ngenyathelo, ukuhlolwa ngokungqongqo ngokwemigangatho ye-AQL.

Inkonzo yethu ngolu hlobo lulandelayo:

- > Ubume obahlukeneyo kunye nobukhulu obukhoyo, yamkela uyilo lwakho.
- > Izixhobo: ikepusi, iglasi / isinyithi / isiciko somthi, i-wax njl.
- > Umhombiso: uphawu, ukutyabeka umbala, imekyuri, laser, iqabaka, ukutyabeka njl.
- > Ukupakisha: ukupakisha okukhuselekileyo kwesiqhelo, ukupakisha ibhokisi / emhlophe / ibhokisi yesipho, ukupakisha okwenziwe ngokwezifiso okukhoyo.
- > Uyilo lwamandla: ngaphezulu kwe-15 yokuyila inyanga nenyanga.
- > Iqela leQC: ngaphezulu kwe-10 yabasebenzi abaqeqeshiweyo abahlola imveliso ngokungqongqo nangokucacileyo, ehlangabezana nomgangatho we-AQL.
- > Isampulu: kwiintsuku ezi-7
- > Isiqinisekiso: I-ASTM, i-100% ikhokele kunye necadmium yasimahla.

Ukujongwa kwethu:



Imveliso:



Iqela lethu:



—To be your **Reliable**
Supplier



Igumbi lethu lokubonisa:

Sample Room



4,000+ Items for Choice



Isiqinisekiso:



ASTM







Qhagamshelana nam:

Ngakumbi [Isiphatho sekhandlela eziphathekayo](#) okanye nayiphi na iiglas, Nceda undwendwele iwebhusayithi yethu: <http://www.okcandle.com/>
Okanye, inokukunceda ufunde ngakumbi ngathi: [FAQ](#)