

# ikhandlela elijikelezileyo eliphethe ikheramic



## Product Details

Into No. SGSN17042414

### Ubungakanani

Idia ephezulu: 140mm

Ezantsi dia: 104mm

Ukuphakama: 66mm

UMax dia: 161mm

Ubunzima: 476g

Amandla: 810ml

MOQ: 3000pcs

Izinto ICeramic / ikhandlela elijikelezileyo eliphethe iiceramic

eziphathekayo

Izixhobo

ikepusi, i-ceramic / isinyithi / isiciko somthi, i-wax, i-wick, i-shear njl

Gqiba

uphawu, ukutyabeka umbala, i-mercury, i-laser, iqabaka, ukutyabeka, i-glazed njl

UKate

[iintengiso35@sunnyglassware.com](mailto:iintengiso35@sunnyglassware.com)

Ukupakisha

1. 24/36/48/72 ii-PC nganye ngokomgangatho wokupakisha wokuthumela kwelinye ilizwe kwelinye ilizwe
2. Ukupakisha ibhokisi enemibala / emhlophe / emdaka
3. Ukupakisha ibhokisi yesipho
4. Ukupakisha okunciphayo
5. Ukupakisha ibhokisi nganye nganye / ebekiweyo
6. ukupakisha ngentando

Amandla ethu	<p>1. Singabachwephesha <a href="#">isiphatho sekhandlela</a> umenzi, ophambili kwiintlobo ezahlukeneyo ze <a href="#">iziphatho zezibane</a>, Ukusukela <a href="#">isiphatho sekhandlela seglasi</a>, <a href="#">yodongwe lwekhandlela</a>, <a href="#">umnini ikhandlela emarmore</a>, <a href="#">Isiphatho sekhandlela eziphathekayo</a>, <a href="#">Tin umnini ikhandlela</a>, <a href="#">Ingqayi yekhandlela engenanto</a> njl.</p> <p>2. Ilungele ikhaya / ivenkile / intengiso enkulu / iresty / ihotele / ibha / i-KTV njl.</p> <p>3. Kunye neqela umyili ngobuchule, leyo enokunceda uyilo kunye nokuvula nokuvunda entsha ngokusekelwe imfuneko sakho.</p> <p>Ukucwangciswa kweposi: umbala, ukutyabeka, i-mercury, iridescent, ukukrola, ukuprinta, uphawu, umbala wokutshiza, iqabaka, igolide, ukuzoba ngesandla njl.</p> <p>5. MOQ encinci yamkelekile. Sineemveliso eziqhelekileyo zokukuxhasa.</p>
Inkonzo yethu	<ul style="list-style-type: none"> <li>* Phendula wena kwiiyure ezingama-24</li> <li>* Uluhlu lweemveliso zokhetho lwakho</li> <li>* Inkqubo yemveliso ngokupheleleyo</li> <li>* Abasebenzi abanezakhono kumzi-mveliso</li> <li>* Zombini umgca womatshini kunye nomgca owenziwe ngesandla wenkonzo yakho</li> <li>* Iqela leQC elinamava lihlola iimveliso ngokubanzi nangokungqongqo kumgangatho we-AQL</li> <li>* Uyilo loyilo luyile imveliso entsha ngaphezulu kwezitayile ezili-15 ngenyanga</li> <li>* Ukunikezelwa kwesebe lobuchwephesha kwinkonzo yomnyango</li> </ul>
MOQ	3000




More Product Pictures







Izixhobo ezihambelanayo:



## Office & Sample Room

I-Sunny Glassware ngumnini wekhandlela okhokela abanini eTshayina ukusukela nge1992, iglasi / iceramic / ikhonkrithi ingqayi yethu yezimbiza njlnj.

ikakhulu kumazwe angaphandle e-USA, EU, AU ngaphezu kweminyaka engama-24 yamava. Sisebenza ngokungqongqo nomgangatho, iqela lethu leQC lihlola iimveliso

ukusuka kwinto eluhlaza ukuya kwimveliso ukuya ekupakisheni inyathelo ngenyathelo, ukuhlolwa ngokungqongqo ngokwemigangatho ye-AQL.

Inkonzo yethu ngolu hlobo lulandelayo:

- > Ubume obahlukeneyo kunye nobukhulu obukhoyo, yamkela uyilo lwakho.
- > Izixhobo: ikepusi, iglasi / isinyithi / isiciko somthi, i-wax njl.
- > Umhombiso: uphawu, ukutyabeka umbala, imekyuri, laser, iqabaka, ukutyabeka njl.

- > Ukupakisha: ukupakisha okukhuselekileyo kwesiqhelo, ukupakisha ibhokisi / emhlophe / ibhokisi yesipho, ukupakisha okwenziwe ngokwezifiso okukhoyo.
- > Uyilo lwamandla: ngaphezulu kwe-15 yokuyila inyanga nenyanga.
- > Iqela leQC: ngaphezulu kwe-10 yabasebenzi abaqeqeshiweyo abahlola imveliso ngokungqongqo nangokucacileyo, ehlangabezana nomgangatho we-AQL.
- > Isampulu: kwiintsuku ezi-7
- > Isiqinisekiso: I-ASTM, i-100% ikhokele kunye ne-cadmium yasimahla.

Ukujongwa kwethu:



Imveliso:



Iqela lethu:





Igumbi lethu lokubonisa:



Isiqinisekiso:



**Testing Report**

Standard Test Method D 1535 - 13  
Standard Test Method for Determining the Tensile Properties of Plastics by the Bar Impact Test

Client: Sunny  
Project: Sunny  
Sample: Sunny

Test Results:

Property	Value
Tensile Strength	100 MPa
Elongation at Break	10%
Impact Strength	10 J/m

Signature: Sunny



**SGS**

**Test Report**

Reference: Sunny  
Date: Sunny

Item	Description	Result
1	Tensile Strength	100 MPa
2	Elongation at Break	10%
3	Impact Strength	10 J/m



**SGS**

**Test Report**

Reference: Sunny  
Date: Sunny



Signature: Sunny